

D/A

BRUHAT BENGALURU MAHANAGARA PALIKE

4TH And Part Bill
(Pre- Measurement Sheet)
And
(Measurement Sheet)

Name of Work :- (Package No. 2 Consists of 5 Works)
Improvements to Roads and Drains from Dasarahalli main road to Coffee Board Layout main road in Ward no: 07 Bytarayanapura.

BRUHAT BENGALURU MAHANAGARA PALIKE

Name of Work: Improvements to Roads and Drains From Dasarahalli Main Road to Coffee Board Layout Main Road in Ward no: 07 Bytarayanapura.

E-MB - REGULAR & PRE MEASUREMENT BILL DETAILS

4th And Part Bill Recorded On- / /

Est Cost Rs.:- 150.00 Lakhs

Job Number:-007-23-000003 **Budget Head:- P3877 Amruth Nagarothana**

Agency:- M/s Sri Venkateshwara Constructions, Prop . Sri Sambashiva

AS NO:- AS/EE(BTP)/ **30/** 22-23, **Dt: 14-10-2022**

TS NO:- TS/CE/(YNK)/34/22-23, **Dt:01-07-2022**

WO NO: BBMP/EE/BTP/WO/74/2022-23, Dt: 21/11/2022

Bill Type:-4th & Part Bill

Work Commencement Date:-

Work Completion Date:-

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
EMB - Measurement Continued Recorded On :			/ /						
1	Removing and resetting of footpath slab								
	Dasarahalli Main Road								
	Dasarahalli to Coffee Board Main Road I0596 I0596								
	LHS								
	From Chainage 64.00 to263.20 mtr	1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	Cross Road Culvert	-1	6.00	0.90	0.90	0.90		-5.4	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	Cross Road Culvert	-1	7.00	0.90	0.90	0.90		-6.3	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	Cross Road Culvert	-1	6.00	0.90	0.90	0.90		-5.4	
		1	15.00	0.90	0.90	0.90		13.5	
	Cross Road Culvert	-1	7.00	0.90	0.90	0.90		-6.3	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	Cross Road Culvert	-1	6.00	0.90	0.90	0.90		-5.4	
		1	15.00	0.90	0.90	0.90		13.5	
		1	4.20	0.90	0.90	0.90		3.8	
	RHS								
	From Chainage38.00 to263.20 mtr	1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	Cross Road Culvert	-1	6.00	0.90	0.90	0.90		-5.4	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	

For Sri Venkateshwara Constructions
Proprietor

RAMA Consulting Engineers (P) Ltd. Bangalore

266.6

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
	Cross Road Culvert	-1	6.00	0.90	0.90	0.90		-5.4	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	Cross Road Culvert	-1	8.00	0.90	0.90	0.90		-7.2	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.20	0.90	0.90	0.90		13.7	
	Dasarahalli Main Road To Mazid W0847Road W0847								
	LHS								
	From Chainage0.00 to90.00 mtr	1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	Till Flag Pole	1	15.00	0.90	0.90	0.90		13.5	
	From Chainage115.00 to235 mtr	1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	Cross Road Culvert	-1	5.00	0.90	0.90	0.90		-4.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	Cross Road Culvert	-1	5.00	0.90	0.90	0.90		-4.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	Cross Road Culvert	-1	6.00	0.90	0.90	0.90		-5.4	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	RHS	1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	Cross Road Culvert	-1	7.00	0.90	0.90	0.90		-6.3	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	Cross Road Culvert	-1	6.00	0.90	0.90	0.90		-5.4	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	Towards Mazid								
	LHS	1	15.00	0.90	0.90	0.90		13.5	
		1	5.00	0.90	0.90	0.90		4.5	
	RHS	1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	

SHRIRAM Consulting Engineers Pvt. Ltd. Bangalore

For Sri Venkateshwara Constructions

Proprietor

479.00

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
	Venkategowda Layout 1st A main Road W0642								
	LHS	1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	Cross Road Culvert	-1	4.20	0.90	0.90	0.90		-3.8	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	Cross Road Culvert	-1	5.00	0.90	0.90	0.90		-4.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	Cross Road Culvert	-1	5.00	0.90	0.90	0.90		-4.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	Cross Road Culvert	-1	6.00	0.90	0.90	0.90		-5.4	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
	Cross Road Culvert	-1	6.00	0.90	0.90	0.90		-5.4	
		1	15.00	0.90	0.90	0.90		13.5	
	Cross Road Culvert	-1	6.00	0.90	0.90	0.90		-5.4	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	8.20	0.90	0.90	0.90		7.4	
	RHS	1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	8.20	0.90	0.90	0.90		7.4	
	Venkategowda Layout 1st B main Road W0638								
	LHS	1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	

For Sri Venkateshwara Constructions
Proprietor

SHRIRAMA Consulting Engineers Pvt. Ltd. Bangalore

552.80

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	15.00	0.90	0.90	0.90		13.5

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	14.00	0.90	0.90	0.90		12.6	
	RHS								
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	14.00	0.90	0.90	0.90		12.6	
	Amruthahalli 7th Cross Road W0496								
	RHS								
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	4.00	0.90	0.90	0.90		3.6	
	Amruthahalli 6th Cross Road W0500								
	LHS								
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	6.90	0.90	0.90	0.90		6.2	
	Amruthahalli 6th Cross Road W0500								
	RHS								
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	15.00	0.90	0.90	0.90		13.5	
		1	6.90	0.90	0.90	0.90		6.2	
								2485.6	
						Missing Slabs 5%		124.28	
							Total	2361.34	**Sqm**

SHRIRAMA Consulting Engineers Pvt. Ltd. Bangalore

For Sri Venkateshwara Constructions

Proprietor

T. Santhosh

Assistant Engineer
Ward No. 07

Assistant Executive Engineer
Byatarayanpura Sub Division

Sl No.	Description of work	No	Dimensions L	B 1	B 2	B Avg	D	Qty	Unit
EMB - Measurement Continued Recorded On : / /									
2	Removing and resetting of Kerbs Stones.								
	Dasarahalli Main Road								
	Dasarahalli to Coffee Board Main Road I0596 I0596								
	LHS								
	From Chainage 64.00 to263.20 mtr	1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	6.00					-6.0	
		1	15.00					15.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	7.00					-7.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	6.00					-6.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	7.00					-7.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	6.00					-6.0	
		1	15.00					15.0	
		1	4.20					4.2	
	RHS								
	From Chainage38.00 to263.20 mtr	1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	6.00					-6.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	6.00					-6.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	8.00					-8.0	
		1	15.00					15.0	
		1	15.20					15.2	
	Dasarahalli Main Road To Mazid W0847Road W0847								
	LHS								
	From Chainage0.00 to90.00 mtr	1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	

For Sri Venkateshwara Constructions

Proprietor

417.40

Sl No.	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	15.00					15.0	
		1	15.00					15.0	
	Tilerlag Pole	1	15.00					15.0	
	From Chainage115.00 to235 mtr	1	15.00					15.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	5.00					-5.0	
		1	15.00					15.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	5.00					-5.0	
		1	15.00					15.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	6.00					-6.0	
		1	15.00					15.0	
		1	15.00					15.0	
	RHS	1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	7.00					-7.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	6.00					-6.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
	Towards Mazid								
	LHS	1	15.00					15.0	
		1	5.00					5.0	
	RHS	1	15.00					15.0	
		1	15.00					15.0	
	Venkategowda Layout 1st A main Road W0642								
	LHS	1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	4.20					-4.2	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	5.00					-5.0	
		1	15.00					15.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	5.00					-5.0	

VAIBHAVA Consulting Engineers Pvt. Ltd. Bangalore

For Sri Venkateshwara Constructions

Proprietor

5146.80

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	15.00					15.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	6.00					-6.0	
		1	15.00					15.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	6.00					-6.0	
		1	15.00					15.0	
	Cross Road Culvert	-1	6.00					-6.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	8.20					8.2	
	RHS	1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	8.20					8.2	
	Venkategowda Layout 1st B main Road W0638								
	LHS	1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	6.70					6.7	
	RHS								
		1	15.00					15.0	

For Sri Venkateshwara Constructions

Proprietor

6801

Sl No.	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	6.70					6.7	
	Venkateshwara 3rd main road Bakery Road I0596								
	LHS	1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	14.00					14.0	
	RHS								
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	

For Sri Venkateshwara Constructions

Proprietor

SHRIRAMA Consulting Engineers (P) Ltd. Bangalore

TB Paul

8157

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	14.00					14.0	
	Amruthahalli 7th Cross Road W0496								
	RHS								
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	4.00					4.0	
	Amruthahalli 6th Cross Road W0500								
	LHS								
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	6.90					6.9	
	Amruthahalli 6th Cross Road W0500								
	RHS								
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	15.00					15.0	
		1	6.90					6.9	
								2761.80	
						Missing Slabs		27.62	
								2734.2	
							Total	**2734.2**	**Mtr**

For Sri Venkateshwara Constructions
Proprietor

Assistant Engineer
Ward No. 07

Assistant Executive Engineer
Byatarayanpura Sub Division

SHRAMA Consulting Engineers Pvt. Ltd. Bangalore

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
	EMB - Measurement Continued Recorded On :		/ /						
4	Dismantling of cement concrete pavement by mechanical meansusing pneumatic tools, breaking to pieces not exceeding 0.02 m3 in volume and stock piling at designated locations and disposal of dismantled materials and stacking serviceable and unserviceable materials separately (Page No.9 & Item No.2.19)PWD SR 2021-22 (Vol-III)								
	For C C Road								
	Mariyanapalya 1st cross Road W1063								
	From Road End	1	15.00	5.30	5.18	5.24	0.30	23.6	
		1	15.00	5.18	4.50	4.84	0.30	21.8	
		1	13.40	4.50	4.70	4.60	0.30	18.5	
	Stanza Living road								
		1	15.00	4.10	3.10	3.60	0.30	16.2	
		1	15.00	3.10	3.70	3.40	0.30	15.3	
		1	15.00	3.70	3.30	3.50	0.30	15.8	
		1	15.00	3.30	3.40	3.35	0.30	15.1	
		1	11.00	3.40	3.40	3.40	0.30	11.2	
							Total	**137.40**	**Cum**

For Sri Venkateshwara Construction

Proprietor

Assistant Engineer
Ward No. 07

Assistant Executive Engineer
Byatarayanpura Sub Division

SHIPRAMA Consulting Engineers Pvt. Ltd. Bangalore

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
EMB - Measurement Continued Recorded On :			/ /						
5	Dismantling of Flexible pavements and disposal of dismantled materials and stacking serviceable and unserviceable materials separately(Page No.10 & Item No.2.18 II A)PWD SR 2021-22 (Vol-III)								
	Asphalt Road								
	II. By Mechanical Means A. Bituminous course								
	Amruthahalli 7th cross From Bar W0496								
		1	15.00	4.60	4.00	4.30	0.10	6.5	
		1	15.00	4.00	3.70	3.85	0.10	5.8	
		1	15.00	3.70	3.80	3.75	0.10	5.6	
		1	15.00	3.80	3.70	3.75	0.10	5.6	
		1	4.00	3.70	3.70	3.70	0.10	1.5	
							Total	**24.96**	**Cum**

For Sri Venkateshwara Constructions
Proprietor

Assistant Engineer
Ward No. 07

Assistant Executive Engineer
Byatarayanpura Sub Division

SHIPRAMA Consulting Engineers Pvt. Ltd. Bangalore

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
EMB - Measurement Continued Recorded On :			/ /						
6	Dismantling of Flexible pavements and disposal of dismantled materials and stacking serviceable and unserviceable materials separately(Page No.10 & Item No.2.18 II A)PWD SR 2021-22 (Vol-III)								
	Asphalt Road								
	II. By Mechanical Means B. Granular course								
	Amruthahalli 7th cross From Bar W0496								
		1	15.00	4.60	4.00	4.30	0.23	14.8	
		1	15.00	4.00	3.70	3.85	0.23	13.3	
		1	15.00	3.70	3.80	3.75	0.23	12.9	
		1	15.00	3.80	3.70	3.75	0.23	12.9	
		1	4.00	3.70	3.70	3.70	0.23	3.4	
							Total	57.40	Cum

T. Santhosh

Assistant Engineer
Ward No. 07

Assistant Executive Engineer
Byatarayanpura Sub Division

ಬೆಂಗಳೂರು-92

For Sri Venkateshwara Constructions

Proprietor

SHIPRAMA Consulting Engineers Pvt. Ltd. Bangalore

Sl No	Description of work	No	Dimensions L	B 1	B 2	B Avg	D	Qty	Unit
EMB - Measurement Continued Recorded On : / /									
8	Earth work excavation by manual means for drains,canals and similar works in all kinds of soils , as per drawing and technical specifications, including setting out, shoring, strutting, barricading, caution lights, removal of stumps and other deleterious matter, excavated surface leveled and sides neatly dressed disposing off the excavated stuff or sorting & stacking the selected stuff for reuse in a radius of 50 m and lift upto 1.5 m including cost of labour, tools & other appurtenaces required to complete the work. Page No. 7/ Item No. 1.4.1/ PWD SR 2021-22 (Vol-I)								
	Dasarahalli Main Road								
	Drain Desilt								
	Dasarahalli to Coffee Board Main Road I0596 I0596								
	LHS								
	From Chainage 64.00 to263.20 mtr	1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	4.20	0.60	0.60	0.60	0.60	1.5	
	RHS								
	From Chainage38.00 to263.20 mtr	1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.20	0.60	0.60	0.60	0.60	5.5	
	Dasarahalli Main Road To Mazid W0847Road W0847								
	LHS								
	From Chainage0.00 to90.00 mtr	1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	

For Sri Venkateshwara Constructions
Proprietor

SHIPRAMA Consulting Engineers Pvt. Ltd. Bangalore

1744

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	15.00	0.60	0.60	0.60	0.60	5.4	
	Till Flag Pole	1	15.00	0.60	0.60	0.60	0.60	5.4	
	RHS	1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
	Towards Mazid								
	LHS	1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	5.00	0.60	0.60	0.60	0.50	1.5	
	RHS	1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
	Venkategowda Layout 1st A main Road W0642								
	LHS	1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	8.20	0.60	0.60	0.60	0.55	2.7	
	RHS	1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	

For Sri Venkateshwara Constructions
Proprietor

SHIPRAMA Consulting Engineers Pvt. Ltd. Bangalore

249.9

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	8.20	0.60	0.60	0.60	0.55	2.7	
	Venkategowda Layout 1st B main Road W0638								
	LHS	1	15.00	0.60	0.60	0.60	0.45	4.1	

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
	Venkateshwara 3rd main road Bakery Road I0596								
	LHS	1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	15.00	0.60	0.60	0.60	0.50	4.5	
		1	14.00	0.60	0.60	0.60	0.50	4.2	
	RHS								
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	14.00	0.60	0.60	0.60	0.55	4.6	
	Amruthahalli 7th Cross Road W0496								
	RHS								
		1	15.00	0.60	0.60	0.60	0.56	5.0	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	15.00	0.60	0.60	0.60	0.60	5.4	
		1	4.00	0.60	0.60	0.60	0.60	1.4	
	Amruthahalli 6th Cross Road W0500								
	LHS								
		1	15.00	0.60	0.60	0.60	0.55	5.0	
		1	15.00	0.60	0.60	0.60	0.40	3.6	

For Sri Venkateshwara Constructions
Proprietor

SHIP PAVAN Consulting Engineers Pvt. Ltd. Bangalore

219.6

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	15.00	0.60	0.60	0.60	0.40	3.6	
		1	15.00	0.60	0.60	0.60	0.40	3.6	
		1	15.00	0.60	0.60	0.60	0.40	3.6	
		1	6.90	0.60	0.60	0.60	0.40	1.7	
	Amruthahalli 6th Cross Road W0500 RHS								
		1	15.00	0.60	0.60	0.60	0.40	3.6	
		1	15.00	0.60	0.60	0.60	0.40	3.6	
		1	15.00	0.60	0.60	0.60	0.40	3.6	
		1	15.00	0.60	0.60	0.60	0.40	3.6	
		1	15.00	0.60	0.60	0.60	0.40	3.6	
		1	6.90	0.60	0.60	0.60	0.40	1.7	
								32.10	
							Total	880.33	**Cum**

T. Santhosh

Assistant Engineer
Ward No. 07

Assistant Executive Engineer
Byatarayanpura Sub Division

For Sri Venkateshwara Constructions

Proprietor

SHIPRAMA Consulting Engineers (P) Ltd. Bangalore

Sl No	Description of work	No	Dimensions L	B 1	B 2	B Avg	D	Qty	Unit
			Asphalt Road						
EMB	Measurement Continued Recorded On : / /								
9	Earth work in surface excavation by mechanical means for lowering & leveling the ground for all works other than foundation in all kinds of soils & upto depth not exceeding 300mm as per drawing and technical specifications, including setting out, shoring, strutting, barricading, caution lights, removal of stumps and other deleterious matter including dressing of excavated surfaces, disposing off or levelling the excavated earth or sorting & stacking the selected earth for reuse in a radius of 50 m and lift upto 1.5 m including cost of labour, tools, usage of machinery & other appurtenances required to complete the work ((Vol-I, P.No-8, I No-1.12 of PWD SR 2021-22)								
	Dasarahalli Main Road								
	Dasarahalli to Coffee Board Main Road I0596								
		1	5.50	2.50	3.00	2.75	0.30	4.5	
		1	8.00	3.50	3.50	3.50	0.30	8.4	
		1	4.50	5.50	5.90	5.70	0.30	7.7	
		1	8.00	6.50	6.50	6.50	0.30	15.6	
		1	10.50	0.60	0.60	0.60	0.30	1.9	
		1	14.00	1.10	1.10	1.10	0.30	4.6	
		1	13.00	2.10	2.10	2.10	0.30	8.2	
		1	5.50	1.80	1.80	1.80	0.30	3.0	
		1	7.90	1.50	1.50	1.50	0.30	3.6	
		1	8.50	2.50	2.50	2.50	0.30	6.4	
		1	11.50	3.50	3.50	3.50	0.30	12.1	
		1	8.50	4.50	4.50	4.50	0.30	11.5	
		1	7.50	4.50	4.50	4.50	0.30	10.1	
		1	8.20	4.00	4.00	4.00	0.30	9.8	
		1	8.80	1.20	1.20	1.20	0.30	3.2	
		1	7.40	2.50	2.50	2.50	0.30	5.6	
		1	9.00	0.90	0.90	0.90	0.30	2.4	
		1	9.50	0.90	1.10	1.00	0.30	2.9	
	Dasarahalli Main Road To Mazid W0847								
		1	9.50	2.50	2.50	2.50	0.30	7.1	
		1	9.00	3.45	3.45	3.45	0.30	9.3	
		1	7.40	5.10	5.10	5.10	0.30	11.3	
		1	8.80	2.60	2.60	2.60	0.30	6.9	
		1	8.20	3.30	3.30	3.30	0.30	8.1	
		1	7.50	4.20	4.20	4.20	0.30	9.5	
		1	8.51	6.10	6.10	6.10	0.30	15.6	
		1	11.50	6.10	6.10	6.10	0.30	21.0	
		1	8.50	7.20	7.20	7.20	0.30	18.4	
		1	7.90	3.30	3.30	3.30	0.30	7.8	
		1	5.50	4.20	4.20	4.20	0.30	6.9	
		1	13.00	2.60	2.60	2.60	0.30	10.1	
		1	14.00	3.30	3.30	3.30	0.30	13.9	
		1	10.50	4.50	4.50	4.50	0.30	14.2	
		1	8.00	1.80	1.80	1.80	0.30	4.3	
		1	4.50	2.10	2.10	2.10	0.30	2.8	
	Towards Mazid Venkateshwara layout 1st A main Road W0642								
		1	2.50	2.50	2.50	2.50	0.30	1.9	
		1	4.50	1.60	1.60	1.60	0.30	2.2	

For Sri Venkateshwara Constructions
Proprietor

SHRIRAMA Consultants Pvt. Ltd. Bangalore

292160

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	5.50	3.80	3.80	3.80	0.30	6.3	
		1	6.30	5.10	5.10	5.10	0.30	9.6	
		1	7.90	4.50	4.50	4.50	0.30	10.7	
		1	9.70	3.33	3.33	3.33	0.30	9.7	
		1	10.20	3.10	3.10	3.10	0.30	9.5	
		1	11.60	3.05	3.05	3.05	0.30	10.6	
		1	11.10	4.50	4.50	4.50	0.30	15.0	
		1	8.80	5.40	5.40	5.40	0.30	14.3	
		1	5.50	6.50	6.50	6.50	0.30	10.7	
		1	8.00	3.50	3.50	3.50	0.30	8.4	
		1	6.60	3.50	3.50	3.50	0.30	6.9	
		1	8.50	3.50	3.50	3.50	0.30	8.9	
		1	5.60	1.80	1.80	1.80	0.30	3.0	
		1	8.50	3.60	3.60	3.60	0.30	9.2	
		1	8.90	3.10	3.10	3.10	0.30	8.3	
		1	7.10	1.90	1.90	1.90	0.30	4.0	
		1	6.90	2.20	2.20	2.20	0.30	4.6	
		1	9.90	2.50	2.50	2.50	0.30	7.4	
		1	8.20	1.90	1.90	1.90	0.30	4.7	
	Venkategowda Layout 1st B main Road W0638								
		1	6.20	1.50	1.50	1.50	0.30	2.8	
		1	7.90	3.00	3.00	3.00	0.30	7.1	
		1	4.90	2.50	2.50	2.50	0.30	3.7	
		1	5.10	1.80	1.80	1.80	0.30	2.8	
		1	6.90	3.50	3.50	3.50	0.30	7.2	
		1	6.50	2.60	2.60	2.60	0.30	5.1	
		1	5.60	1.50	1.50	1.50	0.30	2.5	
		1	6.50	1.10	1.10	1.10	0.30	2.1	
		1	4.60	3.50	3.50	3.50	0.30	4.8	
		1	4.50	6.00	6.00	6.00	0.30	8.1	
		1	5.90	5.40	5.40	5.40	0.30	9.6	
		1	5.50	4.50	4.50	4.50	0.30	7.4	
		1	5.50	2.90	2.90	2.90	0.30	4.8	
		1	9.60	3.20	3.20	3.20	0.30	9.2	
		1	8.20	3.50	3.50	3.50	0.30	8.6	
		1	5.70	4.50	4.50	4.50	0.30	7.7	
		1	5.90	5.10	5.10	5.10	0.30	9.0	
		1	4.30	3.80	3.80	3.80	0.30	4.9	
		1	4.20	1.60	1.60	1.60	0.30	2.0	
		1	2.50	2.50	2.50	2.50	0.30	1.9	
		1	1.50	2.50	2.50	2.50	0.30	1.1	
	Venkateshwara 3rd main road Bakery Road I0596								
		1	2.90	4.50	4.50	4.50	0.30	3.9	
		1	3.50	5.10	5.10	5.10	0.30	5.4	
		1	3.20	3.50	3.50	3.50	0.30	3.4	
		1	2.90	4.50	4.50	4.50	0.30	3.9	
		1	3.10	4.80	4.80	4.80	0.30	4.5	
		1	3.60	4.60	4.60	4.60	0.30	5.0	
		1	2.80	2.50	2.50	2.50	0.30	2.1	
		1	1.10	4.60	4.60	4.60	0.30	1.5	
		1	3.50	3.60	3.60	3.60	0.30	3.8	
		1	6.50	4.50	4.50	4.50	0.30	8.8	

For Sri Venkateshwara Constructions

Proprietor

SHIVANAMA Consulting Engineers Pvt. Ltd. Bangalore

316.4

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	5.40	6.00	6.00	6.00	0.30	9.7	
		1	4.50	6.50	6.50	6.50	0.30	8.8	
		1	2.90	5.50	5.50	5.50	0.30	4.8	
		1	3.20	7.70	7.70	7.70	0.30	7.4	
		1	3.50	7.20	7.20	7.20	0.30	7.6	
		1	4.50	5.70	5.70	5.70	0.30	7.7	
		1	5.10	5.50	5.50	5.50	0.30	8.4	
		1	3.80	4.30	4.30	4.30	0.30	4.9	
		1	1.60	4.20	4.20	4.20	0.30	2.0	
		1	2.50	2.50	2.50	2.50	0.30	1.9	
	Amruthahalli 3rd cross From Nandini Parlour W0508								
		1	2.50	6.50	6.50	6.50	0.30	4.9	
		1	3.45	9.00	9.00	9.00	0.30	9.3	
		1	5.10	5.50	5.50	5.50	0.30	8.4	
		1	2.60	9.00	9.00	9.00	0.30	7.0	
		1	3.30	11.50	11.50	11.50	0.30	11.4	
		1	4.20	15.00	15.00	15.00	0.30	18.9	
		1	6.10	14.00	14.00	14.00	0.30	25.6	
		1	14.00	6.50	6.50	6.50	0.30	27.3	
		1	7.20	8.90	8.90	8.90	0.30	19.2	
		1	3.30	9.50	9.50	9.50	0.30	9.4	
		1	4.20	12.50	12.50	12.50	0.30	15.8	
		1	2.60	9.50	9.50	9.50	0.30	7.4	
		1	3.30	8.50	8.50	8.50	0.30	8.4	
		1	4.50	9.20	9.20	9.20	0.30	12.4	
		1	1.80	9.80	9.80	9.80	0.30	5.3	
		1	2.10	8.40	8.40	8.40	0.30	5.3	
		1	2.50	10.00	10.00	10.00	0.30	7.5	
		1	5.60	10.50	10.50	10.50	0.30	17.6	
		1	6.90	6.90	6.90	6.90	0.30	14.3	
	Amruthahalli 3rd A cross W0637								
		1	10.00	2.50	3.50	3.00	0.30	9.0	
		1	12.00	2.10	2.10	2.10	0.30	7.6	
		1	9.60	4.20	4.20	4.20	0.30	12.1	
	Amruthahalli 5th cross W0504								
		1	5.50	2.50	2.50	2.50	0.30	4.1	
		1	6.50	3.30	3.30	3.30	0.30	6.4	
		1	7.20	4.40	4.40	4.40	0.30	9.5	
		1	4.50	5.50	5.50	5.50	0.30	7.4	
		1	2.50	4.40	4.40	4.40	0.30	3.3	
		1	3.10	3.50	3.50	3.50	0.30	3.3	
		1	4.70	1.80	1.80	1.80	0.30	2.5	
	Amruthahalli 6th cross W0500								
		1	5.80	2.20	2.20	2.20	0.30	3.8	
		1	2.50	5.50	5.50	5.50	0.30	4.1	
		1	4.80	4.50	4.50	4.50	0.30	6.5	
		1	3.80	3.60	3.60	3.60	0.30	4.1	
		1	5.50	4.20	4.20	4.20	0.30	6.9	
		1	4.90	4.00	4.00	4.00	0.30	5.9	
	New Road								

For Sri Venkateshwara Constructions

Proprietor

SHIPRAMA Consulting Engineers Pvt. Ltd. Bangalore

395.2

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
	Amruthahalli 7th cross F[illegible]m Bar W0496								
		1	15.00	4.60	4.00	4.30	0.30	19.4	
		1	15.00	4.00	3.70	3.85	0.30	17.3	
		1	15.00	3.70	3.80	3.75	0.30	16.9	
		1	15.00	3.80	3.70	3.75	0.30	16.9	
		1	4.00	3.70	3.70	3.70	0.30	4.4	
	For C C Road								
	Mariyanapalya 1st cross Road W1063								
	From Road End	1	15.00	5.30	5.18	5.24	0.30	23.6	
		1	15.00	5.18	4.50	4.84	0.30	21.8	
		1	13.40	4.50	4.70	4.60	0.30	18.5	
	Stanza Living road								
		1	15.00	4.00	3.10	3.55	0.30	16.0	
		1	15.00	3.10	3.70	3.40	0.30	15.3	
		1	15.00	3.70	3.30	3.50	0.30	15.8	
		1	15.00	3.30	3.40	3.35	0.30	15.1	
		1	11.00	3.40	3.40	3.40	0.30	11.2	
							Total	**1216.24**	**Cum**

T. Santhosh

Assistant Engineer
Ward No. 07

Assistant Executive Engineer
Byatarayanpura Sub Division

ಬೆಂಗಳೂರು-92

For Sri Venkateshwara Constructions

Proprietor

SHRIRAMA Consulting Engineers Pvt. Ltd. Bangalore

P.B Patil

Sl No	Description of work	No	Dimensions L	B 1	B 2	B Avg	D	Qty	Unit
EMB - Measurement Continued Recorded On :			/ /						
17	Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the Material with water at OMC in mechanical mix plant carriage of mixed Material by tipper to site, laying in uniform layers with paver/grader in sub-base / base course on well prepared surface and compacting with vibratory roller to achieve the desired density. Page No. 24/ Item No. 4.27/ PWD SR 2021-22 (Vol-III).								
	Dasarahalli Main Road								
	Dasarahalli to Coffee Board Main Road I0596								
		1	5.50	2.50	3.00	2.75	0.20	3.0	
		1	8.00	3.50	3.50	3.50	0.15	4.2	
		1	4.50	5.50	5.90	5.70	0.15	3.8	
		1	8.00	6.50	6.50	6.50	0.15	7.8	
		1	10.50	0.60	0.60	0.60	0.15	0.9	
		1	14.00	1.10	1.10	1.10	0.10	1.5	
		1	13.00	2.10	2.10	2.10	0.20	5.5	
		1	5.50	1.80	1.80	1.80	0.20	2.0	
		1	7.90	1.50	1.50	1.50	0.20	2.4	
		1	8.50	2.50	2.50	2.50	0.15	3.2	
		1	11.50	3.50	3.50	3.50	0.11	4.4	
		1	8.50	4.50	4.50	4.50	0.20	7.7	
		1	7.50	4.50	4.50	4.50	0.20	6.8	
		1	8.20	4.00	4.00	4.00	0.20	6.6	
		1	8.80	1.20	1.20	1.20	0.20	2.1	
		1	7.40	2.50	2.50	2.50	0.20	3.7	
		1	9.00	0.90	0.90	0.90	0.20	1.6	
		1	9.50	0.90	1.10	1.00	0.20	1.9	
	Dasarahalli Main Road To Mazid W0847								
		1	9.50	2.50	2.50	2.50	0.23	5.5	
		1	9.00	3.45	3.45	3.45	0.23	7.1	
		1	7.40	5.10	5.10	5.10	0.23	8.7	
		1	8.80	2.60	2.60	2.60	0.23	5.3	
		1	8.20	3.30	3.30	3.30	0.23	6.2	
		1	7.50	4.20	4.20	4.20	0.23	7.2	
		1	8.51	6.10	6.10	6.10	0.23	11.9	
		1	11.50	6.10	6.10	6.10	0.23	16.1	
		1	8.50	7.20	7.20	7.20	0.23	14.1	
		1	7.90	3.30	3.30	3.30	0.23	6.0	
		1	5.50	4.20	4.20	4.20	0.23	5.3	
		1	13.00	2.60	2.60	2.60	0.23	7.8	
		1	14.00	3.30	3.30	3.30	0.23	10.6	
		1	10.50	4.50	4.50	4.50	0.23	10.9	
		1	8.00	1.80	1.80	1.80	0.23	3.3	
		1	4.50	2.10	2.10	2.10	0.23	2.2	
	Towards Mazid Venkateshwara layout 1st A main Road W0642								
		1	2.50	2.50	2.50	2.50	0.23	1.4	
		1	4.50	1.60	1.60	1.60	0.23	1.7	
		1	5.50	3.80	3.80	3.80	0.23	4.8	
		1	6.30	5.10	5.10	5.10	0.23	7.4	

For Sri Venkateshwara Constructions
Proprietor

SHRIRAMA Consulting Engineers Pvt. Ltd. Bangalore

212.5

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	7.90	4.50	4.50	4.50	0.23	8.2	
		1	9.70	3.33	3.33	3.33	0.23	7.4	
		1	10.20	3.10	3.10	3.10	0.23	7.3	
		1	11.60	3.05	3.05	3.05	0.23	8.1	
		1	11.10	4.50	4.50	4.50	0.23	11.5	
		1	8.80	5.40	5.40	5.40	0.23	10.9	
		1	5.50	6.50	6.50	6.50	0.23	8.2	
		1	8.00	3.50	3.50	3.50	0.23	6.4	
		1	6.60	3.50	3.50	3.50	0.23	5.3	
		1	8.50	3.50	3.50	3.50	0.23	6.8	
		1	5.60	1.80	1.80	1.80	0.23	2.3	
		1	8.50	3.60	3.60	3.60	0.23	7.0	
		1	8.90	3.10	3.10	3.10	0.23	6.3	
		1	7.10	1.90	1.90	1.90	0.23	3.1	
		1	6.90	2.20	2.20	2.20	0.23	3.5	
		1	9.90	2.50	2.50	2.50	0.23	5.7	
		1	8.20	1.90	1.90	1.90	0.23	3.6	
	Venkategowda Layout 1st B main Road W0638								
		1	6.20	1.50	1.50	1.50	0.23	2.1	
		1	7.90	3.00	3.00	3.00	0.23	5.5	
		1	4.90	2.50	2.50	2.50	0.23	2.8	
		1	5.10	1.80	1.80	1.80	0.23	2.1	
		1	6.90	3.50	3.50	3.50	0.23	5.6	
		1	6.50	2.60	2.60	2.60	0.23	3.9	
		1	5.60	1.50	1.50	1.50	0.23	1.9	
		1	6.50	1.10	1.10	1.10	0.23	1.6	
		1	4.60	3.50	3.50	3.50	0.23	3.7	
		1	4.50	6.00	6.00	6.00	0.23	6.2	
		1	5.90	5.40	5.40	5.40	0.23	7.3	
		1	5.50	4.50	4.50	4.50	0.23	5.7	
		1	5.50	2.90	2.90	2.90	0.23	3.7	
		1	9.60	3.20	3.20	3.20	0.23	7.1	
		1	8.20	3.50	3.50	3.50	0.23	6.6	
		1	5.70	4.50	4.50	4.50	0.23	5.9	
		1	5.90	5.10	5.10	5.10	0.23	6.9	
		1	4.30	3.80	3.80	3.80	0.23	3.8	
		1	4.20	1.60	1.60	1.60	0.23	1.5	
		1	2.50	2.50	2.50	2.50	0.23	1.4	
		1	1.50	2.50	2.50	2.50	0.23	0.9	
	Venkateshwara 3rd main road Bakery Road I0596								
		1	2.90	4.50	4.50	4.50	0.23	3.0	
		1	3.50	5.10	5.10	5.10	0.23	4.1	
		1	3.20	3.50	3.50	3.50	0.23	2.6	
		1	2.90	4.50	4.50	4.50	0.23	3.0	
		1	3.10	4.80	4.80	4.80	0.23	3.4	
		1	3.60	4.60	4.60	4.60	0.23	3.8	
		1	2.80	2.50	2.50	2.50	0.23	1.6	
		1	1.10	4.60	4.60	4.60	0.23	1.2	
		1	3.50	3.60	3.60	3.60	0.23	2.9	
		1	6.50	4.50	4.50	4.50	0.23	6.7	
		1	5.40	6.00	6.00	6.00	0.23	7.5	
		1	4.50	6.50	6.50	6.50	0.23	6.7	

For Sri Venkateshwara Constructions
Proprietor

SHRIRAMA Consulting Engineers Pvt. Ltd. Bangalore

244.5

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	2.90	5.50	5.50	5.50	0.23	3.7	
		1	3.20	7.70	7.70	7.70	0.23	5.7	
		1	3.50	7.20	7.20	7.20	0.23	5.8	
		1	4.50	5.70	5.70	5.70	0.23	5.9	
		1	5.10	5.50	5.50	5.50	0.23	6.5	
		1	3.80	4.30	4.30	4.30	0.23	3.8	
		1	1.60	4.20	4.20	4.20	0.23	1.5	
		1	2.50	2.50	2.50	2.50	0.23	1.4	
	Amruthahalli 3rd cross From Nandini Parlour W0508								
		1	2.50	6.50	6.50	6.50	0.23	3.7	
		1	3.45	9.00	9.00	9.00	0.23	7.1	
		1	5.10	5.50	5.50	5.50	0.23	6.5	
		1	2.60	9.00	9.00	9.00	0.23	5.4	
		1	3.30	11.50	11.50	11.50	0.23	8.7	
		1	4.20	15.00	15.00	15.00	0.23	14.5	
		1	6.10	14.00	14.00	14.00	0.23	19.6	
		1	14.00	6.50	6.50	6.50	0.23	20.9	
		1	7.20	8.90	8.90	8.90	0.23	14.7	
		1	3.30	9.50	9.50	9.50	0.23	7.2	
		1	4.20	12.50	12.50	12.50	0.23	12.1	
		1	2.60	9.50	9.50	9.50	0.23	5.7	
		1	3.30	8.50	8.50	8.50	0.23	6.5	
		1	4.50	9.20	9.20	9.20	0.23	9.5	
		1	1.80	9.80	9.80	9.80	0.23	4.1	
		1	2.10	8.40	8.40	8.40	0.23	4.1	
		1	2.50	10.00	10.00	10.00	0.23	5.8	
		1	5.60	10.50	10.50	10.50	0.23	13.5	
		1	6.90	6.90	6.90	6.90	0.23	11.0	
	Amruthahalli 3rd A cross W0637								
		1	10.00	2.50	3.50	3.00	0.20	6.0	
		1	12.00	2.10	2.10	2.10	0.20	5.0	
		1	9.60	4.20	4.20	4.20	0.20	8.1	
	Amruthahalli 5th cross W0504								
		1	5.50	2.50	2.50	2.50	0.20	2.8	
		1	6.50	3.30	3.30	3.30	0.20	4.3	
		1	7.20	4.40	4.40	4.40	0.20	6.3	
		1	4.50	5.50	5.50	5.50	0.20	5.0	
		1	2.50	4.40	4.40	4.40	0.20	2.2	
		1	3.10	3.50	3.50	3.50	0.20	2.2	
		1	4.70	1.80	1.80	1.80	0.20	1.7	
	Amruthahalli 6th cross W0500								
		1	5.80	2.20	2.20	2.20	0.20	2.6	
		1	2.50	5.50	5.50	5.50	0.20	2.8	
		1	4.80	4.50	4.50	4.50	0.20	4.3	
		1	3.80	3.60	3.60	3.60	0.20	2.7	
		1	5.50	4.20	4.20	4.20	0.20	4.6	
		1	4.90	4.00	4.00	4.00	0.20	3.9	
	New Road								
	Amruthahalli 7th cross From Bar W0496								
		1	15.00	4.60	4.00	4.30	0.23	14.8	

For Sri Venkateshwara Constructions

Proprietor

SHIPRAMA Consulting Engineers Pvt. Ltd. Bangalore

294.0

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	15.00	4.00	3.70	3.85	0.23	13.3	
		1	15.00	3.70	3.80	3.75	0.23	12.9	
		1	15.00	3.80	3.70	3.75	0.23	12.9	
		1	4.00	3.70	3.70	3.70	0.23	3.4	
	Deduct Man Holes	-2	0.64				0.23	-0.3	
							Total	793.32	Cum

Assistant Engineer
Ward No. 07

Assistant Executive Engineer
Byatarayanpura Sub Division

For Sri Venkateshwara Constructions

Proprietor

SHIPRAMA Consulting Engineers Bangalore

Sl No	Description of work	No	Dimensions L	B 1	B 2	B Avg	D	Qty	Unit
EMB - Measurement Continued Recorded On : / /									
18	Providing and applying primer coat with SS1 grade Bitumen Emulsion on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.90 kg per m2 using mechanical means. (P.No.29 It.No.5.1, PWD SR 2021-22 (Vol-III))								
	Dasarahalli Main Road								
	Dasarahalli to Coffee Board Main Road I0596								
		1	5.50	2.50	3.00	2.75		15.1	
		1	8.00	3.50	3.50	3.50		28.0	
		1	4.50	5.50	5.90	5.70		25.7	
		1	8.00	6.50	6.50	6.50		52.0	
		1	10.50	0.60	0.60	0.60		6.3	
		1	14.00	1.10	1.10	1.10		15.4	
		1	13.00	2.10	2.10	2.10		27.3	
		1	5.50	1.80	1.80	1.80		9.9	
		1	7.90	1.50	1.50	1.50		11.9	
		1	8.50	2.50	2.50	2.50		21.3	
		1	11.50	3.50	3.50	3.50		40.3	
		1	8.50	4.50	4.50	4.50		38.3	
		1	7.50	4.50	4.50	4.50		33.8	
		1	8.20	4.00	4.00	4.00		32.8	
		1	8.80	1.20	1.20	1.20		10.6	
		1	7.40	2.50	2.50	2.50		18.5	
		1	9.00	0.90	0.90	0.90		8.1	
		1	9.50	0.90	1.10	1.00		9.5	
	Dasarahalli Main Road To Mazid W0847								
		1	9.50	2.50	2.50	2.50		23.8	
		1	9.00	3.45	3.45	3.45		31.1	
		1	7.40	5.10	5.10	5.10		37.7	
		1	8.80	2.60	2.60	2.60		22.9	
		1	8.20	3.30	3.30	3.30		27.1	
		1	7.50	4.20	4.20	4.20		31.5	
		1	8.51	6.10	6.10	6.10		51.9	
		1	11.50	6.10	6.10	6.10		70.2	
		1	8.50	7.20	7.20	7.20		61.2	
		1	7.90	3.30	3.30	3.30		26.1	
		1	5.50	4.20	4.20	4.20		23.1	
		1	13.00	2.60	2.60	2.60		33.8	
		1	14.00	3.30	3.30	3.30		46.2	
		1	10.50	4.50	4.50	4.50		47.3	
		1	8.00	1.80	1.80	1.80		14.4	
		1	4.50	2.10	2.10	2.10		9.5	
	Towards Mazid Venkateshwara layout 1st A main Road W0642								
		1	2.50	2.50	2.50	2.50		6.3	
		1	4.50	1.60	1.60	1.60		7.2	
		1	5.50	3.80	3.80	3.80		20.9	
		1	6.30	5.10	5.10	5.10		32.1	
		1	7.90	4.50	4.50	4.50		35.6	
		1	9.70	3.33	3.33	3.33		32.3	
		1	10.20	3.10	3.10	3.10		31.6	
		1	11.60	3.05	3.05	3.05		35.4	

For Sri Venkateshwara Constructions
Proprietor

SHUBHRAMA Consulting Engineers Pvt. Ltd. Bangalore

1163.3

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	11.10	4.50	4.50	4.50		50.0	
		1	8.80	5.40	5.40	5.40		47.5	
		1	5.50	6.50	6.50	6.50		35.8	
		1	8.00	3.50	3.50	3.50		28.0	
		1	6.60	3.50	3.50	3.50		23.1	
		1	8.50	3.50	3.50	3.50		29.8	
		1	5.60	1.80	1.80	1.80		10.1	
		1	8.50	3.60	3.60	3.60		30.6	
		1	8.90	3.10	3.10	3.10		27.6	
		1	7.10	1.90	1.90	1.90		13.5	
		1	6.90	2.20	2.20	2.20		15.2	
		1	9.90	2.50	2.50	2.50		24.8	
		1	8.20	1.90	1.90	1.90		15.6	
	Venkategowda Layout 1st B main Road W0638								
		1	6.20	1.50	1.50	1.50		9.3	
		1	7.90	3.00	3.00	3.00		23.7	
		1	4.90	2.50	2.50	2.50		12.3	
		1	5.10	1.80	1.80	1.80		9.2	
		1	6.90	3.50	3.50	3.50		24.2	
		1	6.50	2.60	2.60	2.60		16.9	
		1	5.60	1.50	1.50	1.50		8.4	
		1	6.50	1.10	1.10	1.10		7.2	
		1	4.60	3.50	3.50	3.50		16.1	
		1	4.50	6.00	6.00	6.00		27.0	
		1	5.90	5.40	5.40	5.40		31.9	
		1	5.50	4.50	4.50	4.50		24.8	
		1	5.50	2.90	2.90	2.90		16.0	
		1	9.60	3.20	3.20	3.20		30.7	
		1	8.20	3.50	3.50	3.50		28.7	
		1	5.70	4.50	4.50	4.50		25.7	
		1	5.90	5.10	5.10	5.10		30.1	
		1	4.30	3.80	3.80	3.80		16.3	
		1	4.20	1.60	1.60	1.60		6.7	
		1	2.50	2.50	2.50	2.50		6.3	
		1	1.50	2.50	2.50	2.50		3.8	
	Venkateshwara 3rd main road Bakery Road I0596								
		1	2.90	4.50	4.50	4.50		13.1	
		1	3.50	5.10	5.10	5.10		17.9	
		1	3.20	3.50	3.50	3.50		11.2	
		1	2.90	4.50	4.50	4.50		13.1	
		1	3.10	4.80	4.80	4.80		14.9	
		1	3.60	4.60	4.60	4.60		16.6	
		1	2.80	2.50	2.50	2.50		7.0	
		1	1.10	4.60	4.60	4.60		5.1	
		1	3.50	3.60	3.60	3.60		12.6	
		1	6.50	4.50	4.50	4.50		29.3	
		1	5.40	6.00	6.00	6.00		32.4	
		1	4.50	6.50	6.50	6.50		29.3	
		1	2.90	5.50	5.50	5.50		16.0	
		1	3.20	7.70	7.70	7.70		24.6	
		1	3.50	7.20	7.20	7.20		25.2	
		1	4.50	5.70	5.70	5.70		25.7	

For Sri Venkateshwara Constructions
Proprietor

SHIPRAMA Consulting Engineers Pvt. Ltd. Bangalore

1019.8

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	5.10	5.50	5.50	5.50		28.1	
		1	3.80	4.30	4.30	4.30		16.3	
		1	1.60	4.20	4.20	4.20		6.7	
		1	2.50	2.50	2.50	2.50		6.3	
	Amruthahalli 3rd cross From Nandini Parlour W0508								
		1	2.50	6.50	6.50	6.50		16.3	
		1	3.45	9.00	9.00	9.00		31.1	
		1	5.10	5.50	5.50	5.50		28.1	
		1	2.60	9.00	9.00	9.00		23.4	
		1	3.30	11.50	11.50	11.50		38.0	
		1	4.20	15.00	15.00	15.00		63.0	
		1	6.10	14.00	14.00	14.00		85.4	
		1	14.00	6.50	6.50	6.50		91.0	
		1	7.20	8.90	8.90	8.90		64.1	
		1	3.30	9.50	9.50	9.50		31.4	
		1	4.20	12.50	12.50	12.50		52.5	
		1	2.60	9.50	9.50	9.50		24.7	
		1	3.30	8.50	8.50	8.50		28.1	
		1	4.50	9.20	9.20	9.20		41.4	
		1	1.80	9.80	9.80	9.80		17.6	
		1	2.10	8.40	8.40	8.40		17.6	
		1	2.50	10.00	10.00	10.00		25.0	
		1	5.60	10.50	10.50	10.50		58.8	
		1	6.90	6.90	6.90	6.90		47.6	
	Amruthahalli 3rd A cross W0637								
		1	10.00	2.50	3.50	3.00		30.0	
		1	12.00	2.10	2.10	2.10		25.2	
		1	9.60	4.20	4.20	4.20		40.3	
	Amruthahalli 5th cross W0504								
		1	5.50	2.50	2.50	2.50		13.8	
		1	6.50	3.30	3.30	3.30		21.5	
		1	7.20	4.40	4.40	4.40		31.7	
		1	4.50	5.50	5.50	5.50		24.8	
		1	2.50	4.40	4.40	4.40		11.0	
		1	3.10	3.50	3.50	3.50		10.9	
		1	4.70	1.80	1.80	1.80		8.5	
	Amruthahalli 6th cross W0500								
		1	5.80	2.20	2.20	2.20		12.8	
		1	2.50	5.50	5.50	5.50		13.8	
		1	4.80	4.50	4.50	4.50		21.6	
		1	3.80	3.60	3.60	3.60		13.7	
		1	5.50	4.20	4.20	4.20		23.1	
		1	4.90	4.00	4.00	4.00		19.6	
	New Road								
	Amruthahalli 7th cross From Bar W0496								
		1	15.00	4.60	4.00	4.30		64.5	
		1	15.00	4.00	3.70	3.85		57.8	
		1	15.00	3.70	3.80	3.75		56.3	

For Sri Venkateshwara Constructions
Proprietor

SHIPRAMA Consulting Engineers Pvt. Ltd. Bangalore

1342.70

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	15.00	3.80	3.70	3.75		56.3	
		1	4.00	3.70	3.70	3.70		14.8	
							Total	3596.90	Sqm

Assistant Engineer
Ward No. 07

Assistant Executive Engineer
Byatarayanpura Sub Division

For Sri Venkateshwara Constructions

Proprietor

SHIPRAMA Consulting Engineers Pvt. Ltd. Bangalore

Sl No	Description of work	No	Dimensions L	B 1	B 2	B Avg	D	Qty	Unit
EMB - Measurement Continued Recorded On : / /									
20	Providing and laying Dense Graded Bituminous Macadam with 40/60 TPH capacity HMP using crushed aggregates of specified grading, premixed with bituminous binder VG-30, @ 4.5 per cent by weight of total mix and filler, transporting the hot mix to work site, laying with mechanical paver finisher to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRTH specification clause No. 505 complete in all respects.(Grade-II) (Pg:33, It.No-5.12 C PWD SR:2021-22 (Vol-III))								
	Dasarahalli Main Road								
	Dasarahalli to Coffee Board Main Road I0596								
		1	5.50	2.50	3.00	2.75	0.05	0.8	
		1	8.00	3.50	3.50	3.50	0.05	1.4	
		1	4.50	5.50	5.90	5.70	0.05	1.3	
		1	8.00	6.50	6.50	6.50	0.05	2.6	
		1	10.50	0.60	0.60	0.60	0.05	0.3	
		1	14.00	1.10	1.10	1.10	0.05	0.8	
		1	13.00	2.10	2.10	2.10	0.05	1.4	
		1	5.50	1.80	1.80	1.80	0.05	0.5	
		1	7.90	1.50	1.50	1.50	0.05	0.6	
		1	8.50	2.50	2.50	2.50	0.05	1.1	
		1	11.50	3.50	3.50	3.50	0.05	2.0	
		1	8.50	4.50	4.50	4.50	0.05	1.9	
		1	7.50	4.50	4.50	4.50	0.05	1.7	
		1	8.20	4.00	4.00	4.00	0.05	1.6	
		1	8.80	1.20	1.20	1.20	0.05	0.5	
		1	7.40	2.50	2.50	2.50	0.05	0.9	
		1	9.00	0.90	0.90	0.90	0.05	0.4	
		1	9.50	0.90	1.10	1.00	0.05	0.5	
	Dasarahalli Main Road To Mazid W0847							0.0	
		1	9.50	2.50	2.50	2.50	0.05	1.2	
		1	9.00	3.45	3.45	3.45	0.05	1.6	
		1	7.40	5.10	5.10	5.10	0.05	1.9	
		1	8.80	2.60	2.60	2.60	0.05	1.1	
		1	8.20	3.30	3.30	3.30	0.05	1.4	
		1	7.50	4.20	4.20	4.20	0.05	1.6	
		1	8.51	6.10	6.10	6.10	0.05	2.6	
		1	11.50	6.10	6.10	6.10	0.05	3.5	
		1	8.50	7.20	7.20	7.20	0.05	3.1	
		1	7.90	3.30	3.30	3.30	0.05	1.3	
		1	5.50	4.20	4.20	4.20	0.05	1.2	
		1	13.00	2.60	2.60	2.60	0.05	1.7	
		1	14.00	3.30	3.30	3.30	0.05	2.3	
		1	10.50	4.50	4.50	4.50	0.05	2.4	
		1	8.00	1.80	1.80	1.80	0.05	0.7	
		1	4.50	2.10	2.10	2.10	0.05	0.5	
	Towards Mazid Venkateshwara layout 1st A main Road W0642								
		1	2.50	2.50	2.50	2.50	0.05	0.3	
		1	4.50	1.60	1.60	1.60	0.05	0.4	
		1	5.50	3.80	3.80	3.80	0.05	1.0	
		1	6.30	5.10	5.10	5.10	0.05	1.6	

For Sri Venkateshwara Constructions
Proprietor

SHRIRAMA Consulting Engineers Pvt. Ltd. Bangalore

51.4

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	7.90	4.50	4.50	4.50	0.05	1.8	
		1	9.70	3.33	3.33	3.33	0.05	1.6	
		1	10.20	3.10	3.10	3.10	0.05	1.6	
		1	11.60	3.05	3.05	3.05	0.05	1.8	
		1	11.10	4.50	4.50	4.50	0.05	2.5	
		1	8.80	5.40	5.40	5.40	0.05	2.4	
		1	5.50	6.50	6.50	6.50	0.05	1.8	
		1	8.00	3.50	3.50	3.50	0.05	1.4	
		1	6.60	3.50	3.50	3.50	0.05	1.2	
		1	8.50	3.50	3.50	3.50	0.05	1.5	
		1	5.60	1.80	1.80	1.80	0.05	0.5	
		1	8.50	3.60	3.60	3.60	0.05	1.5	
		1	8.90	3.10	3.10	3.10	0.05	1.4	
		1	7.10	1.90	1.90	1.90	0.05	0.7	
		1	6.90	2.20	2.20	2.20	0.05	0.8	
		1	9.90	2.50	2.50	2.50	0.05	1.2	
		1	8.20	1.90	1.90	1.90	0.05	0.8	
	Venkategowda Layout 1st B main Road W0638								
		1	6.20	1.50	1.50	1.50	0.05	0.5	
		1	7.90	3.00	3.00	3.00	0.05	1.2	
		1	4.90	2.50	2.50	2.50	0.05	0.6	
		1	5.10	1.80	1.80	1.80	0.05	0.5	
		1	6.90	3.50	3.50	3.50	0.05	1.2	
		1	6.50	2.60	2.60	2.60	0.05	0.8	
		1	5.60	1.50	1.50	1.50	0.05	0.4	
		1	6.50	1.10	1.10	1.10	0.05	0.4	
		1	4.60	3.50	3.50	3.50	0.05	0.8	
		1	4.50	6.00	6.00	6.00	0.05	1.4	
		1	5.90	5.40	5.40	5.40	0.05	1.6	
		1	5.50	4.50	4.50	4.50	0.05	1.2	
		1	5.50	2.90	2.90	2.90	0.05	0.8	
		1	9.60	3.20	3.20	3.20	0.05	1.5	
		1	8.20	3.50	3.50	3.50	0.05	1.4	
		1	5.70	4.50	4.50	4.50	0.05	1.3	
		1	5.90	5.10	5.10	5.10	0.05	1.5	
		1	4.30	3.80	3.80	3.80	0.05	0.8	
		1	4.20	1.60	1.60	1.60	0.05	0.3	
		1	2.50	2.50	2.50	2.50	0.05	0.3	
		1	1.50	2.50	2.50	2.50	0.05	0.2	
	Venkateshwara 3rd main road Bakery Road I0596								
		1	2.90	4.50	4.50	4.50	0.05	0.7	
		1	3.50	5.10	5.10	5.10	0.05	0.9	
		1	3.20	3.50	3.50	3.50	0.05	0.6	
		1	2.90	4.50	4.50	4.50	0.05	0.7	
		1	3.10	4.80	4.80	4.80	0.05	0.7	
		1	3.60	4.60	4.60	4.60	0.05	0.8	
		1	2.80	2.50	2.50	2.50	0.05	0.4	
		1	1.10	4.60	4.60	4.60	0.05	0.3	
		1	3.50	3.60	3.60	3.60	0.05	0.6	
		1	6.50	4.50	4.50	4.50	0.05	1.5	
		1	5.40	6.00	6.00	6.00	0.05	1.6	
		1	4.50	6.50	6.50	6.50	0.05	1.5	

For Sri Venkateshwara Constructions

Proprietor

Shirish Mavinkurve & P. Ltd. Consulting Engineers Bangalore

53.20

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	2.90	5.50	5.50	5.50	0.05	0.8	
		1	3.20	7.70	7.70	7.70	0.05	1.2	
		1	3.50	7.20	7.20	7.20	0.05	1.3	
		1	4.50	5.70	5.70	5.70	0.05	1.3	
		1	5.10	5.50	5.50	5.50	0.05	1.4	
		1	3.80	4.30	4.30	4.30	0.05	0.8	
		1	1.60	4.20	4.20	4.20	0.05	0.3	
		1	2.50	2.50	2.50	2.50	0.05	0.3	
	Amruthahalli 3rd cross From Nandini Parlour W0508								
		1	2.50	6.50	6.50	6.50	0.05	0.8	
		1	3.45	9.00	9.00	9.00	0.05	1.6	
		1	5.10	5.50	5.50	5.50	0.05	1.4	
		1	2.60	9.00	9.00	9.00	0.05	1.2	
		1	3.30	11.50	11.50	11.50	0.05	1.9	
		1	4.20	15.00	15.00	15.00	0.05	3.2	
		1	6.10	14.00	14.00	14.00	0.05	4.3	
		1	14.00	6.50	6.50	6.50	0.05	4.6	
		1	7.20	8.90	8.90	8.90	0.05	3.2	
		1	3.30	9.50	9.50	9.50	0.05	1.6	
		1	4.20	12.50	12.50	12.50	0.05	2.6	
		1	2.60	9.50	9.50	9.50	0.05	1.2	
		1	3.30	8.50	8.50	8.50	0.05	1.4	
		1	4.50	9.20	9.20	9.20	0.05	2.1	
		1	1.80	9.80	9.80	9.80	0.05	0.9	
		1	2.10	8.40	8.40	8.40	0.05	0.9	
		1	2.50	10.00	10.00	10.00	0.05	1.3	
		1	5.60	10.50	10.50	10.50	0.05	2.9	
		1	6.90	6.90	6.90	6.90	0.05	2.4	
	Amruthahalli 3rd A cross W0637								
		1	10.00	2.50	3.50	3.00	0.05	1.5	
		1	12.00	2.10	2.10	2.10	0.05	1.3	
		1	9.60	4.20	4.20	4.20	0.05	2.0	
	Amruthahalli 5th cross W0504								
		1	5.50	2.50	2.50	2.50	0.05	0.7	
		1	6.50	3.30	3.30	3.30	0.05	1.1	
		1	7.20	4.40	4.40	4.40	0.05	1.6	
		1	4.50	5.50	5.50	5.50	0.05	1.2	
		1	2.50	4.40	4.40	4.40	0.05	0.6	
		1	3.10	3.50	3.50	3.50	0.05	0.5	
		1	4.70	1.80	1.80	1.80	0.05	0.4	
	Amruthahalli 6th cross W0500								
		1	5.80	2.20	2.20	2.20	0.05	0.6	
		1	2.50	5.50	5.50	5.50	0.05	0.7	
		1	4.80	4.50	4.50	4.50	0.05	1.1	
		1	3.80	3.60	3.60	3.60	0.05	0.7	
		1	5.50	4.20	4.20	4.20	0.05	1.2	
		1	4.90	4.00	4.00	4.00	0.05	1.0	
	New Road								
	Amruthahalli 7th cross From Bar W0496								
		1	15.00	4.60	4.00	4.30	0.05	3.2	

For Sri Venkateshwara Constructions

Proprietor

SHIPRAMA Consulting Engineers Pvt. Ltd. Bangalore

66.00

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	15.00	4.00	3.70	3.85	0.05	2.9	
		1	15.00	3.70	3.80	3.75	0.05	2.8	
		1	15.00	3.80	3.70	3.75	0.05	2.8	
		1	4.00	3.70	3.70	3.70	0.05	0.7	
	Deduct Man Holes	-2	0.64				0.05	-0.1	9.20
							Total	179.78	Cum

T. Santhosh

Assistant Engineer
Ward No. 07

Assistant Executive Engineer
Byatarayanpura Sub Division

For Sri Venkateshwara Constructions

Proprietor

SHIPRAMA Consulting Engineers Pvt. Ltd. Bangalore

Sl No	Description of work	No	Dimensions L	B 1	B 2	B Avg	D	Qty	Unit
EMB - Measurement Continued Recorded On : / /									
19	Providing and applying tack coat with RS1 Bituminous Emulsion using emulsion pressure distributor at the rate of 0.20 kg/m2 on the prepared bituminous surface cleaned with mechanical broom (P.No.29 It.No.5.3, PWD SR 2021-22 (Vol-III))								
	Dasarahalli Main Road								
	Dasarahalli to Coffee Board Main Road I0596								
		1	15.00	7.60	7.05	7.33		109.9	
		1	15.00	7.05	6.80	6.93		103.9	
		1	15.00	6.80	6.65	6.73		100.9	
		1	15.00	6.65	6.80	6.73		100.9	
		1	15.00	6.80	4.45	5.63		84.4	
		1	15.00	4.45	4.85	4.65		69.8	
		1	15.00	4.85	5.20	5.03		75.4	
		1	15.00	5.20	4.95	5.08		76.1	
		1	15.00	4.95	5.35	5.15		77.3	
		1	15.00	5.35	5.15	5.25		78.8	
		1	15.00	5.15	5.85	5.50		82.5	
		1	15.00	5.85	5.00	5.43		81.4	
		1	15.00	5.00	5.20	5.10		76.5	
		1	15.00	5.20	5.20	5.20		78.0	
		1	15.00	5.20	5.00	5.10		76.5	
		1	15.00	5.00	6.10	5.55		83.3	
		1	15.00	6.10	6.50	6.30		94.5	
		1	8.20	6.50	7.90	7.20		59.0	
	Dasarahalli Main Road To Mazid W0847								
		1	15.00	7.70	7.30	7.50		112.5	
		1	15.00	7.30	6.90	7.10		106.5	
		1	15.00	6.90	6.40	6.65		99.8	
		1	15.00	6.40	6.20	6.30		94.5	
		1	15.00	6.20	5.80	6.00		90.0	
		1	15.00	5.80	6.70	6.25		93.8	
		1	15.00	6.70	11.50	9.10		136.5	
		1	15.00	11.50	6.70	9.10		136.5	
		1	15.00	6.70	7.00	6.85		102.8	
		1	15.00	7.00	6.00	6.50		97.5	
		1	15.00	6.00	6.20	6.10		91.5	
		1	15.00	6.20	6.70	6.45		96.8	
		1	15.00	6.70	7.00	6.85		102.8	
		1	15.00	7.00	6.80	6.90		103.5	
		1	15.00	6.80	6.90	6.85		102.8	
		1	10.00	6.90	7.20	7.05		70.5	
	Towards Mazid Venkateshwara layout 1st A main Road W0642								
		1	15.00	6.20	7.20	6.70		100.5	
		1	15.00	7.20	7.80	7.50		112.5	
		1	15.00	7.80	6.00	6.90		103.5	
		1	15.00	6.00	6.30	6.15		92.3	
		1	15.00	6.30	6.00	6.15		92.3	
		1	15.00	6.00	5.00	5.50		82.5	
		1	15.00	5.00	4.30	4.65		69.8	
		1	15.00	4.30	5.00	4.65		69.8	
		1	15.00	5.00	4.60	4.80		72.0	

For Sri Venkateshwara Constructions

Proprietor

SHIPRAMA Consulting Engineers Pvt. Ltd. Bangalore

3941.8

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
		1	15.00	4.60	5.10	4.85		72.8	
		1	15.00	5.10	5.60	5.35		80.3	
		1	15.00	0.10	5.55	2.83		42.4	
		1	15.00	5.55	5.15	5.35		80.3	
		1	15.00	5.15	5.00	5.08		76.1	
		1	15.00	5.00	5.25	5.13		76.9	
		1	15.00	5.25	4.55	4.90		73.5	
		1	15.00	4.55	5.20	4.88		73.1	
		1	15.00	0.10	5.75	2.93		43.9	
		1	15.00	5.75	6.95	6.35		95.3	
		1	15.00	6.95	6.40	6.68		100.1	
		1	8.20	6.40	6.40	6.40		52.5	
	Venkategowda Layout 1st B main Road W0638								
		1	15.00	6.40	6.75	6.58		98.6	
		1	15.00	6.75	5.90	6.33		94.9	
		1	15.00	5.90	5.90	5.90		88.5	
		1	15.00	5.90	5.50	5.70		85.5	
		1	15.00	5.50	5.55	5.53		82.9	
		1	15.00	5.55	5.55	5.55		83.3	
		1	15.00	5.55	5.90	5.73		85.9	
		1	15.00	5.90	5.70	5.80		87.0	
		1	15.00	5.70	5.40	5.55		83.3	
		1	15.00	5.40	6.20	5.80		87.0	
		1	15.00	6.20	5.30	5.75		86.3	
		1	15.00	0.10	6.00	3.05		45.8	
		1	15.00	6.00	5.65	5.83		87.4	
		1	15.00	5.65	6.40	6.03		90.4	
		1	15.00	6.40	6.30	6.35		95.3	
		1	15.00	6.30	6.40	6.35		95.3	
		1	15.00	6.40	5.55	5.98		89.6	
		1	15.00	5.55	5.20	5.38		80.6	
		1	15.00	5.20	5.85	5.53		82.9	
		1	15.00	5.85	6.00	5.93		88.9	
		1	6.70	6.00	5.70	5.85		39.2	
	Venkateshwara 3rd main road Bakery Road I0596								
		1	15.00	6.60	4.50	5.55		83.3	
		1	15.00	4.50	4.00	4.25		63.8	
		1	15.00	4.00	4.20	4.10		61.5	
		1	15.00	4.20	3.90	4.05		60.8	
		1	15.00	3.90	3.80	3.85		57.8	
		1	15.00	3.80	4.30	4.05		60.8	
		1	15.00	4.30	4.30	4.30		64.5	
		1	15.00	4.30	4.10	4.20		63.0	
		1	15.00	4.10	3.15	3.63		54.4	
		1	15.00	0.10	4.30	2.20		33.0	
		1	15.00	4.30	4.10	4.20		63.0	
		1	15.00	4.10	4.10	4.10		61.5	
		1	15.00	4.10	4.55	4.33		64.9	
		1	15.00	4.55	3.55	4.05		60.8	
		1	15.00	3.55	3.60	3.58		53.6	
		1	15.00	3.60	4.10	3.85		57.8	
		1	15.00	4.10	4.25	4.18		62.6	
		1	15.00	4.25	3.90	4.08		61.1	
		1	15.00	3.90	4.80	4.35		65.3	
		1	14.00	4.80	4.80	4.80		67.2	

For Sri Venkateshwara Constructions

Proprietor

SHRIRAMA Consulting Engineers Pvt. Ltd. Bangalore

3845.50

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
	Amruthahalli 3rd cross From Nandini Parlour W0508								
		1	15.00	6.50	5.30	5.90		88.5	
		1	15.00	5.30	5.90	5.60		84.0	
		1	15.00	5.90	6.60	6.25		93.8	
		1	15.00	6.60	6.20	6.40		96.0	
		1	15.00	6.20	6.00	6.10		91.5	
		1	15.00	6.00	5.80	5.90		88.5	
		1	15.00	5.80	5.50	5.65		84.8	
		1	15.00	5.50	5.80	5.65		84.8	
		1	15.00	5.80	5.50	5.65		84.8	
		1	15.00	0.10	5.00	2.55		38.3	
		1	15.00	5.00	5.20	5.10		76.5	
		1	15.00	5.20	6.20	5.70		85.5	
		1	15.00	6.20	6.20	6.20		93.0	
		1	15.00	6.20	6.40	6.30		94.5	
		1	15.00	6.40	5.30	5.85		87.8	
		1	15.00	5.30	5.50	5.40		81.0	
		1	15.00	5.50	5.35	5.43		81.4	
		1	15.00	5.35	5.80	5.58		83.6	
		1	12.00	5.80	5.40	5.60		67.2	
	Amruthahalli 3rd A cross W0637								
		1	15.00	6.10	5.90	6.00		90.0	
		1	15.00	5.90	5.80	5.85		87.8	
		1	1.00	5.80	6.20	6.00		6.0	
	Amruthahalli 5th cross W0504								
		1	15.00	6.10	5.00	5.55		83.3	
		1	15.00	5.00	5.40	5.20		78.0	
		1	15.00	5.40	5.20	5.30		79.5	
		1	15.00	5.20	4.40	4.80		72.0	
		1	15.00	4.40	4.50	4.45		66.8	
		1	15.00	4.50	4.30	4.40		66.0	
		1	6.70	4.30	3.50	3.90		26.1	
	Amruthahalli 6th cross W0500								
		1	15.00	5.20	4.50	4.85		72.8	
		1	15.00	4.50	3.90	4.20		63.0	
		1	15.00	3.90	4.90	4.40		66.0	
		1	15.00	4.90	5.60	5.25		78.8	
		1	15.00	5.60	5.50	5.55		83.3	
		1	6.90	5.50	5.50	5.50		38.0	
	Amruthahalli 7th cross From Bar W0496								
		1	15.00	4.60	4.00	4.30		64.5	
		1	15.00	4.00	3.70	3.85		57.8	
		1	15.00	3.70	3.80	3.75		56.3	
		1	15.00	3.80	3.70	3.75		56.3	
		1	4.00	3.70	3.70	3.70		14.8	
							Total	**10679.12**	**Sqm**

2891.80

SHIPRAMA Consulting Engineers Pvt. Ltd. Bangalore

Assistant Engineer
Ward No. 07

For Sri Venkateshwara Constructions
Proprietor

Assistant Executive Engineer
Byatarayanpura Sub Division

Sl No	Description of work	No	Dimensions					Qty	Unit
			L	B 1	B 2	B Avg	D		
EMB - Measurement Continued Recorded On :			/ /						
23	Providing and laying in position plain cement concrete for levelling course for all works in foundation. The granite/trap/basalt crushed graded coarse aggregates and fine aggregates as per relevant IS Codes machine mixed, laid in layers not exceeding 150 mm thickness, well compacted using plate vibrators, including all lead & lifts, cost of all materials of quality, labour, Usage charges of machineries, curing, and all the other appurtenances required to complete the work as per technical specifications. (The cost of steel reinforcement & formwork shall be paid separately) Page No. 15/ Item No. 2.1.1/ PWD SR 2021-22 (Vol-I).								
	For C C Road								
	Mariyanapalya 1st cross Road W1063								
	From Road End	1	15.00	5.30	5.18	5.24	0.15	11.8	
		1	15.00	5.18	4.50	4.84	0.15	10.9	
		1	13.40	4.50	4.70	4.60	0.15	9.2	
	Stanza Living road								
		1	15.00	4.00	3.10	3.55	0.15	8.0	
		1	15.00	3.10	3.70	3.40	0.15	7.7	
		1	15.00	3.70	3.30	3.50	0.15	7.9	
		1	15.00	3.30	3.40	3.35	0.15	7.5	
		1	11.00	3.40	3.40	3.40	0.15	5.6	
	Deduct man Holes	-3	0.64				0.04	-0.1	
							Total	**68.51**	**Cum**

SHILPRAMA Consulting Engineers Pvt. Ltd. Bangalore

For Sri Venkateshwara Constructions

Proprietor